

Lexmark E460 Series

Lexmark E460dn

Lexmark E460dw

Lexmark E462dtn



PRINT



Up to 40 ppm



DUPLEX



NETWORK



High-Endurance, Compact Design



LEXMARKTM

Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend on average up to 6% of their revenue on printing and that active print management can cut office print costs by up to 30%¹, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

¹ Source: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service, August 2008

Keep your productivity up and costs way down with the Lexmark E460 Series. Network-ready with an intuitive display, these compact monochrome laser printers offer effortless operation, confidential printing, advanced security and management tools, in addition to practical ways to lower your running costs, like integrated duplex printing and Lexmark Extra High Yield Toner Cartridges. There is even a wireless model so you can print with true wireless freedom. A great value for small and medium workgroups with big workloads and high expectations.



Powerfully simple

With its rapid time-to-first-page, the Lexmark E460 Series is a powerful asset to your workgroup. It features everything you need to perform at your best, along with great print quality and an intuitive display to simplify your workday.

- Powerful 466MHz processor
- First page out as fast as 6.5 seconds thanks to the instant warm-up fuser
- High-speed printing up to 40 ppm
- User-friendly 4-line graphical display



Hassle-free management

Your day is too busy to spend time on maintenance issues. The Lexmark E460 Series brings simplified management to your fingertips. Experience enhanced security and time savings along with a range of high-end features you typically wouldn't expect to find on such attractively priced printers.

- Lexmark remote management tools available
- Customized early-warning alerts for low toner
- 10-digit numeric pad for secure print release
- Customizable operator panel messaging
- Large input capacity, from 300 sheets standard (E460dn/dw) up to 550 sheets standard (E462dtn)



Easy on your budget

Benefit from smarter ways to save and an attractive total cost of ownership. In addition to its low acquisition price, the Lexmark E460 Series offers you cost-effective ways to expand your team's productivity and lower your total cost of printing.

- Lower page cost with Extra High Yield Lexmark Toner Cartridges (up to 18,000* pages with Lexmark E462dtn)
- Multiple darkness levels save up to 50% on toner
- Built-in networking for easy sharing



Prints black, thinks green

Printing responsibly means everyone wins – your business, your budget and the environment. The Lexmark E460 Series is designed with eco-conscious features to help you reduce paper and save energy.

- Paper-saving duplex printing standard
- Eco-Mode reduces power consumption
- Instant warm-up fuser saves energy
- Lexmark Cartridge Collection Program for easy recycling



Lexmark's guarantee to you

Optimize your printer's performance and investment value by using genuine Lexmark supplies, service and parts. Lexmark's 1-Year Exchange warranty provides added peace of mind. Enhanced service offerings may be available by contacting your Lexmark representative or visiting www.lexmark.com.

(See Lexmark Statement of Limited Warranty for full details)

Lexmark E460 Series

High-endurance printing for busy workgroups – in a compact size!



Affordable printing

Reduce operating costs with multiple toner level settings and Lexmark Extra High Yield Toner Cartridges.



Large standard input capacity

The ample 550-sheet standard input capacity on the Lexmark E462dtn is a helpful time saver.



Comprehensive messaging

The user-friendly operator panel includes an intuitive 4-line display, which offers you valuable time-saving guidance and assistance.



Eco-Mode

Select this printing mode to automatically lower your energy consumption and drive down paper waste and costs.



Wireless

Break free from cables with the Lexmark E460dw and experience Wi-Fi CERTIFIED™ n performance.



Secure printing

Keep sensitive documents fully secure. Use the numeric pad to hold, release and protect your confidential print jobs. It helps save paper too!



Get exactly the performance you need



Lexmark E460dn

Business-class features and performance in a compact design

- Fast! Up to 40 ppm print speed
- Built-in duplex
- User-friendly 4-line operator panel with numeric pad
- Network-ready
- Standard input capacity: 300 sheets
- 15,000*-page Lexmark Extra High Yield Toner Cartridge available
- Recommended monthly volume: 1,500 to 10,000 pages



Lexmark E460dw

Break free from printer cables with built-in wireless connectivity

- Fast! Up to 40 ppm print speed
- Built-in duplex
- User-friendly 4-line operator panel with numeric pad
- Network-ready, plus built-in wireless support
- Standard input capacity: 300 sheets
- 15,000*-page Lexmark Extra High Yield Toner Cartridge available
- Recommended monthly volume: 1,500 to 10,000 pages



Lexmark E462dtn

Tremendous value, with best-in-series standard capacity and cartridge yield

- Fast! Up to 40 ppm print speed
- Built-in duplex
- User-friendly 4-line operator panel with numeric pad
- Network-ready
- Standard input capacity: 550 sheets
- 18,000*-page Lexmark Extra High Yield Toner Cartridge available
- Recommended monthly volume: 1,500 to 10,000 pages

| | Lexmark E460dn | Lexmark E460dw | Lexmark E462dtn |
|--|--|--|--|
| Printing | | | |
| Print Technology | Monochrome Laser | | |
| Print Speed (Letter, Black): Up to | 40 ppm | | |
| Time to First Page (Black) | As fast as 6.5 seconds | | |
| Print Resolution, Black | 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi | | |
| Memory, Standard | 64 MB | | |
| Memory, Maximum | 576 MB | | |
| Print Noise Level, Operating | 53 dBA | | |
| Noise Level, Idle | inaudible dBA | | |
| Maximum Monthly Duty Cycle: Up to | 80,000 pages per month | | |
| Recommended Monthly Page Volume | 1,500 - 10,000 pages | | |
| Supplies | | | |
| Supplies Yield (*Average standard page yield value declared in accordance with ISO/IEC 19752.) | 9,000*-page High Yield Toner Cartridge, 3,500*-page Toner Cartridge, 15,000*-page Extra High Yield Toner Cartridge | 9,000*-page High Yield Toner Cartridge, 3,500*-page Toner Cartridge, 15,000*-page Extra High Yield Toner Cartridge | 9,000*-page High Yield Toner Cartridge, 3,500*-page Toner Cartridge, 18,000*-page Extra High Yield Toner Cartridge |
| Cartridge(s) Shipping with Product | 7,000*-page starter Return Program Toner Cartridge | | |
| Paper Handling | | | |
| Paper Handling Standard | 150-Sheet Output Bin, Integrated Duplex, Single Sheet Exit, 250-Sheet Input Tray, 50-Sheet Multipurpose Feeder | 150-Sheet Output Bin, Integrated Duplex, Single Sheet Exit, 250-Sheet Input Tray, 50-Sheet Multipurpose Feeder | 150-Sheet Output Bin, 250-Sheet Drawer, Integrated Duplex, Single Sheet Exit, 250-Sheet Input Tray, 50-Sheet Multipurpose Feeder |
| Paper Handling Optional | 550-Sheet Drawer, Only one drawer may be installed at a time, 250-Sheet Drawer | 550-Sheet Drawer, Only one drawer may be installed at a time, 250-Sheet Drawer | |
| Paper Input Capacity, Standard: Up to | 300 pages 20 lb or 75 gsm bond | 300 pages 20 lb or 75 gsm bond | 550 pages 20 lb or 75 gsm bond |
| Paper Input Capacity, Maximum: Up to | 850 pages 20 lb or 75 gsm bond | 850 pages 20 lb or 75 gsm bond | 550 pages 20 lb or 75 gsm bond |
| Paper Output Capacity, Standard: Up to | 150 pages 20 lb or 75 gsm bond | | |
| Paper Output Capacity, Maximum: Up to | 150 pages 20 lb or 75 gsm bond | | |
| Media Types Supported | Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide | | |
| Media Sizes Supported | 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, A6 Card, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio | | |
| Compatibility | | | |
| Network Protocol Support | TCP/IP IPv4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, TCP, UDP | | |
| Printer Languages (Standard) | PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, x-HTML, PDF 1.6, Direct Image, Microsoft XPS (XML Paper Specification) | | |
| Standard Ports | Centronics IEEE 1284 Bidirectional Parallel, Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B) | Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), 802.11b/g/n Wireless | Centronics IEEE 1284 Bidirectional Parallel, Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B) |
| Microsoft Windows Operating Systems Supported | 2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Vista, Vista x64, Server 2008, Server 2008 x64, Server 2008 running Terminal Services, Server 2008 x64 running Terminal Services, Windows 7 | | |
| Apple Macintosh Operating Systems Supported | Mac OS X (10.2 or later), Mac OS 9.2 | | |
| Other Operating Systems Supported | www.lexmark.com | | |
| General | | | |
| Product Warranty | 1-Year Exchange | | |
| Product Certifications | www.lexmark.com | | |
| Size (in. - H x W x D) | 10.2 x 15.98 x 14.55 in. | 10.2 x 15.9 x 14.55 in. | 13.7 x 15.98 x 14.55 in. |
| Weight (lb.) | 30.87 lb. | 30.91 lb. | 36.5 lb. |
| Specified Operating Environment | Temperature: 16 to 32°C (60 to 90°F), Altitude: 0 - 2500 Meters (8,200 Feet), Humidity: 8 to 80% Relative Humidity for Temperatures less than 25.5°C (78°F) | | |

Recommended Monthly Page Volume

«Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.


Maximum Monthly Duty Cycle

«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month using a multitish operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

Trademarks

Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logo are trademarks of Universal Serial Bus Implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.

Lexmark E460dn



■ Paper Handling Standard
■ Paper Handling Optional

| | |
|---------------|---|
| Part # | Model |
| 34S0700 | Lexmark E460dn |
| Part # | Laser Toner/Print Cartridge |
| E460X11A | E460 Extra High Yield Return Program Toner Cartridge |
| E360H11A | E360, E46x High Yield Return Program Toner Cartridge |
| E260A11A | E260, E360, E46x Return Program Toner Cartridge |
| E460X21A | E460 Extra High Yield Toner Cartridge |
| E360H21A | E360, E46x High Yield Toner Cartridge |
| E260A21A | E260, E360, E46x Toner Cartridge |
| E260X22G | E260, E360, E46x, X264, X36x, X46x Photoconductor Kit |
| Part # | Paper & Transparencies |
| 70X7240 | Laser Printer Transparencies (Letter) |
| Part # | Paper Handling |
| 34S0550 | 550-Sheet Drawer |
| 34S0250 | 250-Sheet Drawer |
| Part # | Memory Options |
| 1022298 | 128MB DDR1-DRAM |
| 1022299 | 256MB DDR1-DRAM |
| 1022301 | 512MB DDR1-DRAM |
| 14F0245 | 256MB Flash Card |
| 30G0828 | Japanese Font Card |
| 30G0825 | Korean Font Card |
| 30G0826 | Simplified Chinese Font Card |
| 30G0827 | Traditional Chinese Font Card |
| Part # | Application Solutions |
| 30G0829 | Lexmark PrintCrypton Card |
| 34S0975 | E460 Forms and Bar Code Card |
| 34S0073 | E460, E462 Card for PRESCRIBE Emulation |
| 34S0074 | E460, E462 Card for IPDS/SCS/TNe |
| Part # | Connectivity |
| 1021231 | Parallel Cable (10-foot) |
| 1021294 | USB Cable (2-meter) |
| 14T0145 | Lexmark N4050e 802.11g Wireless Print Server |
| 14T0220 | MarkNet™ N7020e Gigabit Ethernet Print Server |
| Part # | Extended Warranties |
| 2350250 | 2-Years Total Exchange Service, Next Business Day |
| 2350251 | 3-Years Total Exchange Service, Next Business Day |
| 2350252 | 4-Years Total Exchange Service, Next Business Day |


| | |
|---------|--|
| 2350253 | 5-Years Total Exchange Service, Next Business Day |
| 2350254 | 1-Year Exchange Service Renewal, Next Business Day |
| 2350257 | Upgrade to Onsite Service, Next Business Day |
| 2350258 | 2-Years Total Onsite Service, Next Business Day |
| 2350259 | 3-Years Total Onsite Service, Next Business Day |
| 2350260 | 4-Years Total Onsite Service, Next Business Day |
| 2350261 | 5-Years Total Onsite Service, Next Business Day |
| 2350262 | 1-Year Onsite Service Renewal, Next Business Day |

| | |
|---------------|---|
| Part # | Service Parts |
| 40X5400 | E460, X46x Fuser Maintenance Kit 110-120V |

In the box

Lexmark E460dn Laser Printer, up to 7,000-page* starter Return Program Toner Cartridge, Photoconductor Kit, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), Statement of limited warranty, Operator panel language overlay, Safety sheet or booklet, Lexmark Cartridge Collection Program information

Lexmark E460dw



■ Paper Handling Standard
■ Paper Handling Optional

| | |
|---------------|---|
| Part # | Model |
| 34S0600 | Lexmark E460dw |
| Part # | Laser Toner/Print Cartridge |
| E460X11A | E460 Extra High Yield Return Program Toner Cartridge |
| E360H11A | E360, E46x High Yield Return Program Toner Cartridge |
| E260A11A | E260, E360, E46x Return Program Toner Cartridge |
| E460X21A | E460 Extra High Yield Toner Cartridge |
| E360H21A | E360, E46x High Yield Toner Cartridge |
| E260A21A | E260, E360, E46x Toner Cartridge |
| E260X22G | E260, E360, E46x, X264, X36x, X46x Photoconductor Kit |
| Part # | Paper & Transparencies |
| 70X7240 | Laser Printer Transparencies (Letter) |
| Part # | Paper Handling |
| 34S0550 | 550-Sheet Drawer |
| 34S0250 | 250-Sheet Drawer |
| Part # | Memory Options |
| 1022298 | 128MB DDR1-DRAM |
| 1022299 | 256MB DDR1-DRAM |
| 1022301 | 512MB DDR1-DRAM |
| 14F0245 | 256MB Flash Card |
| 30G0828 | Japanese Font Card |
| 30G0825 | Korean Font Card |
| 30G0826 | Simplified Chinese Font Card |
| 30G0827 | Traditional Chinese Font Card |
| Part # | Application Solutions |
| 30G0829 | Lexmark PrintCrypton Card |
| 34S0975 | E460 Forms and Bar Code Card |
| 34S0073 | E460, E462 Card for PRESCRIBE Emulation |
| 34S0074 | E460, E462 Card for IPDS/SCS/TNe |
| Part # | Connectivity |
| 1021294 | USB Cable (2-meter) |
| 14T0220 | MarkNet™ N7020e Gigabit Ethernet Print Server |
| Part # | Extended Warranties |
| 2350250 | 2-Years Total Exchange Service, Next Business Day |
| 2350251 | 3-Years Total Exchange Service, Next Business Day |
| 2350252 | 4-Years Total Exchange Service, Next Business Day |
| 2350253 | 5-Years Total Exchange Service, Next Business Day |
| 2350254 | 1-Year Exchange Service Renewal, Next Business Day |


| | |
|---------|--|
| 2350257 | Upgrade to Onsite Service, Next Business Day |
| 2350258 | 2-Years Total Onsite Service, Next Business Day |
| 2350259 | 3-Years Total Onsite Service, Next Business Day |
| 2350260 | 4-Years Total Onsite Service, Next Business Day |
| 2350261 | 5-Years Total Onsite Service, Next Business Day |
| 2350262 | 1-Year Onsite Service Renewal, Next Business Day |

| | |
|---------------|---|
| Part # | Service Parts |
| 40X5400 | E460, X46x Fuser Maintenance Kit 110-120V |

In the box

Lexmark E460dw Laser Printer, up to 7,000-page* starter Return Program Toner Cartridge, Photoconductor Kit, Software and documentation CD, Setup guide or sheet (wireless, network and local attachment), Power cord(s), USB cable, Lexmark Cartridge Collection Program information, Statement of limited warranty, Operator panel language overlay, Safety sheet or booklet

Lexmark E462dtn



■ Paper Handling Standard

| | |
|---------------|---|
| Part # | Model |
| 34S0800 | Lexmark E462dtn |
| Part # | Laser Toner/Print Cartridge |
| E462U11A | E462 Extra High Yield Return Program Toner Cartridge |
| E360H11A | E360, E46x High Yield Return Program Toner Cartridge |
| E260A11A | E260, E360, E46x Return Program Toner Cartridge |
| E462U21G | E462 Extra High Yield Toner Cartridge |
| E360H21A | E360, E46x High Yield Toner Cartridge |
| E260A21A | E260, E360, E46x Toner Cartridge |
| E260X22G | E260, E360, E46x, X264, X36x, X46x Photoconductor Kit |
| Part # | Paper & Transparencies |
| 70X7240 | Laser Printer Transparencies (Letter) |
| Part # | Memory Options |
| 1022298 | 128MB DDR1-DRAM |
| 1022299 | 256MB DDR1-DRAM |
| 1022301 | 512MB DDR1-DRAM |
| 14F0245 | 256MB Flash Card |
| 30G0828 | Japanese Font Card |
| 30G0825 | Korean Font Card |
| 30G0826 | Simplified Chinese Font Card |
| 30G0827 | Traditional Chinese Font Card |
| Part # | Application Solutions |
| 30G0829 | Lexmark PrintCryption Card |
| 34S0975 | E460 Forms and Bar Code Card |
| 34S0073 | E460, E462 Card for PRESCRIBE Emulation |
| 34S0074 | E460, E462 Card for IPDS/SCS/TNe |
| Part # | Connectivity |
| 1021231 | Parallel Cable (10-foot) |
| 1021294 | USB Cable (2-meter) |
| 14T0145 | Lexmark N4050e 802.11g Wireless Print Server |
| 14T0220 | MarkNet™ N7020e Gigabit Ethernet Print Server |
| Part # | Extended Warranties |
| 2350250 | 2-Years Total Exchange Service, Next Business Day |
| 2350251 | 3-Years Total Exchange Service, Next Business Day |
| 2350252 | 4-Years Total Exchange Service, Next Business Day |
| 2350253 | 5-Years Total Exchange Service, Next Business Day |
| 2350254 | 1-Year Exchange Service Renewal, Next Business Day |
| 2350257 | Upgrade to Onsite Service, Next Business Day |
| 2350258 | 2-Years Total Onsite Service, Next Business Day |

| | |
|---------|--|
| 2350259 | 3-Years Total Onsite Service, Next Business Day |
| 2350260 | 4-Years Total Onsite Service, Next Business Day |
| 2350261 | 5-Years Total Onsite Service, Next Business Day |
| 2350262 | 1-Year Onsite Service Renewal, Next Business Day |

| | |
|---------------|---|
| Part # | Service Parts |
| 40X5400 | E460, X46x Fuser Maintenance Kit 110-120V |

In the box

Lexmark E462dtn Laser Printer, 250-Sheet Drawer, up to 7,000*-page starter Return Program Toner Cartridge, Photoconductor Kit, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), Statement of limited warranty / guarantee, Operator panel language overlay, Safety sheet or booklet, Lexmark Cartridge Collection Program information

Lexmark's guarantee to you

Optimize your printer's performance and investment value by using genuine Lexmark supplies, service and parts. Lexmark's 1-Year Exchange warranty provides added peace of mind. Enhanced service offerings may be available by contacting your Lexmark representative or visiting www.lexmark.com.



Environmental commitment

Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programs please visit www.lexmark.com/recycle.

Cost-saving and environmental features

- Duplex models are Energy Star compliant
- Duplex, Print and Hold, multi-up, and printing on recycled paper help reduce paper consumption
- Power Saver Mode reduces energy consumption
- Extra High Yield Cartridges and Lexmark Cartridge Collection Program help reduce waste

